

Red/black dot entries:

Mandatory fields *

HISTORIC TECHNICAL PASSPORT VALID IN RACING & HILL-CLIMB & RALLY *

This Technical Passport is not a certificate of authenticity, nor does it in anyway verify the history of the car or its constituent parts.

The FIA merely certifies that the required information gathered and confirmed by the ASN at the date of the inspection, is sufficient for the car to be eligible to compete in FIA-sanctioned events for historic vehicles.

Neither the FIA nor the ASN certifies or takes responsibility for the accuracy of the items shown below as «represented» as those were provided by the Applicant (as detailed in Page 24), on behalf of the owner, based upon his best available knowledge and are not verifiable by the ASN and/or the FIA.

ISSUING ASN : **FEDERAZIONE AUTO MOTORISTICA SAMMARINESE** *

FORM NUMBER : **RSM-5137** * CATEGORY : **COMPETITION TOURING CAR** *

PERIOD F * - **01.01.1962** * to **31.12.1965** * Valid to **31.12.2035** FIA CLASS : **CT8** *

The original of this document was filled in by the Applicant and verified by the ASN in accordance with Appendix «K» to the International Sporting Code, for cars taking part in historic competitions. This certified copy of the original form remains the property of the FIA and, if replaced with a new form, must be returned to the issuing ASN which holds the original. During the whole event the car must conform to all the declarations of this HTP.

Make represented : **ALFA ROMEO** *

Year of specification : **1965** *

Engine type : **STRAIGHT 4 DOHC** *

FIA homologation form number (if applicable) : **1395**

Model represented : **GIULIA SPRINT GTA** *

FIA identity n° : **XX512**

Engine capacity : **1598 cm³** * Corrected : cm³

Number of relevant valid pages of homologation form : **14**



Each page of this form, as well as the edge of each photograph, must bear the stamp of the issuing ASN

We, the **FAMS**, have checked the information given on this form up to and including page 24 and confirm that to the best of our reasonable knowledge and belief as of today, the car complies with the period specification of the make and model represented.

Date:

Name and status of signatory:

FIA HTP
vignette

Signature:

Stamp:



In case of homologated car only: if extensions of the original homologation form are used (in accordance with Appendix K), their numbers must be entered below:

10/65 - 12/65

In case of homologated cars bodywork may only be altered on Competition Grand Touring Cars (GTS) before Period G and on Competition Touring and GTS cars from Period G onwards according to Appendix J of the period. For the avoidance of any doubt there must be attached to this document evidence of Period Specification of changed bodywork according to Appendix K, over stamped by the issuing ASN as authorisation.



Period image. Event: **HOMOLOGATION 1395 GROUP T**

Date of the Event: **02/08/2965**

IMPORTANT: If this model has no International History, tick this box: ☐

1 – CHASSIS, SUSPENSION

1.1 CHASSIS FRAME

[a]	Is the car fitted with a chassis to the period specifications?	YES	*
[b]	<i>Not applicable</i>		
[c]	Construction (girder, tubular, monocoque, etc.):	MONOCOQUE	*
[d]	Materials:	STEEL	*

1.2 FRONT SUSPENSION

[a]	Is the suspension as per the period specifications and dimensions?	YES	*
[b]	<i>Not applicable</i>		
[c]	Type of suspension (rigid axle, wishbones, de Dion, etc.):	WISHBONES	*
[d]	Type of spring (coil, leaf, torsion bar, etc.):	COIL	*
[e]	Type of dampers (friction, lever, telescopic, etc.):	TELESCOPIC - KONI 8211	*
[f]	Are the dampers adjustable?	YES	*
[g]	Please state the number of adjusters per damper (not the possible number of adjustment)	TWO (2)	*
[h]	Material of the dampers:	STEEL	*
[i1]	Is the geometry of suspension adjustable?	YES	*
[i2]	Is the height of suspension adjustable?	NO	*
[j]	Please specify the method (Uniball joints, different mountings, etc.):	i1: DIFFERENT MOUNTINGS	*
[k]	Is it fitted with an anti-roll bar?	YES	*
[l]	Please specify, is this bar adjustable?	NO	*
[m]	Are sensors fitted?	NO	*
[n]	<i>Not applicable</i>		



1.3 REAR SUSPENSION

[a]	Is the suspension as per the period specifications and dimensions?	YES	*
[b]	<i>Not applicable</i>		
[c]	Type of suspension (rigid axle, wishbones, de Dion, etc.): RIGID AXLE WITH TWO (2) TRAILING ARMS		*
[d]	Type of spring (coil, leaf, torsion bar, etc.):	COIL	*
[e]	Type of dampers (friction, lever, telescopic, etc.):	TELESCOPIC - KONI 8211	*
[f]	Are the dampers adjustable?	YES	*
[g]	Please state the number of adjusters per damper (not the possible number of adjustment)	TWO (2)	*
[h]	Material of the dampers:	STEEL	*
[i1]	Is the geometry of suspension adjustable?	NO	*
[i2]	Is the height of suspension adjustable?	NO	*
[j]	<i>Not applicable</i>		
[k]	Is it fitted with an anti-roll bar?	NO	*
[l]	<i>Not applicable</i>		
[m]	Are sensors fitted?	NO	*
[n]	<i>Not applicable</i>		



2 – ENGINE

2.1 ENGINE

[a]	Is the engine as per the period specifications for this chassis?	YES	*
[b]	<i>Not applicable</i>		
[c]	Is the position of the engine as per the period specifications?	YES	*
[d]	<i>Not applicable</i>		
[e]	Is the cylinder block cast using the period specification material and dimensions?	YES	*
	Specify materials : ALUMINIUM		*
[f]	<i>Not applicable</i>		
[g]	Is the cylinder head cast using the period specification material and dimensions?	YES	*
	Specify materials : ALUMINIUM	Casting number: NONE	*
[h]	<i>Not applicable</i>		
[i]	Make: ALFA ROMEO	Casting number of the block: AR0526/A*B3446	*
[j]	Year of specification: 1965	Operating method: FOUR STROKE CYCLE	*
[k]	Number of cylinders: 4	Configuration (straight, V, etc.): STRAIGHT	*
[l]	Bore: original 78.00 mm actual 78.75 mm	Stroke: original 82.00 mm actual 82.00 mm	*
[m]	Engine capacity: original 1567 cm ³	actual 1598 cm ³	*
[n]	Number of intake ports: 4	Number of plugs per cylinder: 2	*
	Number of exhaust ports: 4	Number of valves per cylinder: 2	*
	<i>Not applicable</i>		
	<i>Not applicable</i>		
[o]	Valve sizes to period specifications?	YES	*
[p]	<i>Not applicable</i>		
[q]	Are sensors fitted?	NO	*
[r]	<i>Not applicable</i>		

2.2 IGNITION

[a]	Is the system as per the period specifications?	YES	*
[b]	<i>Not applicable</i>		
[c]	Type (magneto, breaker/coil, etc.): BREAKER/COIL		*
[d]	If the ignition is electronic, specify the make and principle: 		
[e]	Are sensors fitted?	NO	*
[f]	<i>Not applicable</i>		

2.3 FUEL FEED


[a]	Are the make, type and number of carburettors / injection as per the period specifications?			YES
[b]	<i>Not applicable</i>			
[c]	Carburettor: Number	2	Make WEBER	Type 45DCOE ø of venturi VAR. mm
[d]	Injection :	Make	Type	
[e]	If an air restrictor is fitted, diameter of the restrictor: mm			
[f]	If supercharged, is the supercharger as per the period specifications?			N/A
[g]	<i>Not applicable</i>			
[h]	Supercharger:	Make	Type	Number
[i]	If an air cooler is fitted, is it as per the period specifications?			N/A
[j]	<i>Not applicable</i>			
[k]	Are sensors fitted?			NO
[l]	<i>Not applicable</i>			

2.4 FUEL SYSTEM

[a]	Is the fuel system as per the period specifications?	YES	*
[b]	<i>Not applicable</i>		
[c]	Type of fuel feed (gravity, mechanical pump, electric pump, etc.):	ELECTRIC PUMP	*
[d]	Is a fuel cooler fitted	NO	*
[e]	Is the fuel tank as per the period specification's location?	NO	*
	Does it comply with Appendix K?	YES	*
[f]	FT3-1999 - HOMOLOGATED 90L		
[g]	Are sensors fitted?	NO	*
[h]	<i>Not applicable</i>		

2.5 LUBRICATION

[a]	Is the system as per the period specifications?	YES	*
[b]	<i>Not applicable</i>		
[c]	Type (wet sump, dry sump, etc.):	WET SUMP	*
[d]	Is an oil cooler fitted?	YES	*
[e]	Is the cooler as per the period specifications?	YES	*
[f]	<i>Not applicable</i>		
[g]	Is a main circuit oil filter fitted (pre-war cars only)?	N/A	
[h]	Are sensors fitted?	NO	*
[i]	<i>Not applicable</i>		



3 – TRANSMISSION

3.1 GEARBOX & CLUTCH

[a]	Is the gearbox as per the period specifications?	YES	*
[b]	<i>Not applicable</i>		
[c]	Make: ALFA ROMEO	Type: MANUAL SYNCHROMESH	*
[d]	Number of forward gears: 5	reverse gear: YES	*
[e]	Number of teeth (for homologated cars only): 1st gear: 35/18 2nd gear: 30/23 3rd gear: 26/27 4th gear: DIRECT 5th gear: 21/32 6th gear: Constant: 30/23 alternatives listed in section 9 <input type="checkbox"/>		
[f]	Clutch type: MECHANICAL		*
[g]	Actuation: OTHER	Please specify: CABLE	*
[h]	Number of plates: SINGLE		*
[i]	Is an oil cooler fitted?	NO	*
[j]	<i>Not applicable</i>		
[k]	Are sensors fitted?	NO	*
[l]	<i>Not applicable</i>		

3.2 FINAL DRIVE

[a]	Driven wheels: REAR		*
[b]	Drive method (shaft, chain, etc.): SHAFT		*
[c]	Is the final drive ratio as per the period specifications?	YES	*
[d]	Specify the number of teeth used: 8/43		*
[e]	Specify the other number of teeth available as period specifications: 7/41 - 8/41 - 9/43 - 10/41 - 9/41 - - - - -		
[f]	Is the differential a limited slip or locked differential?	LSD	*
[g]	Make: COLOTTI	Model: T64	System: DISCS
[h]	Is an oil cooler fitted?	NO	*
[i]	<i>Not applicable</i>		
[j]	Are sensors fitted?	NO	*
[k]	<i>Not applicable</i>		

4 – BRAKES AND STEERING

4.1 BRAKES

[a]	Is the braking system as per the period specifications?			YES	*						
[b]	<i>Not applicable</i>										
[c]	Actuation (cable, rod, hydraulic, etc.): FR HYDRAULIC * RE HYDRAULIC * Handbrake CABLE										
[d]	Is the braking system assisted?			NO	*						
[e]	<i>Not applicable</i>										
[f]	Make:	Front	DUNLOP	Rear	DUNLOP	*					
[g]	If drum brakes:	Drum diameter	Front		mm	Rear		mm	Other		mm
		Shoe width	Front		mm	Rear		mm	Other		mm
[h]	If disc brakes:	Disc diameter	Front	266.00	mm	Rear	246.00	mm			
		Max. disc thickness	Front	11.00	mm	Rear	9.50	mm			
		Ventilated disc:	Front	No		Rear	No				
	Callipers:	Material at front	CAST IRON			Number of pistons per front calliper:	2				
		Material at rear	CAST IRON			Number of pistons per rear calliper:	1				
[i]	Are sensors fitted?			NO	*						
[j]	<i>Not applicable</i>										

4.2 STEERING

[a]	Is the steering as per the period specifications?			YES	*	
[b]	<i>Not applicable</i>					
[c]	Type (rack and pinion, worm and roller, etc.):			RECIRCULATING BALL SCREW		*
[d]	Is the steering assisted?			NO	*	
[e]	<i>Not applicable</i>					
[f]	Are sensors fitted?			NO	*	
[g]	<i>Not applicable</i>					

5 – WHEELS

5.1 WHEELS

[a]	Are the wheels as per the period specifications?	YES	*
[b]	<i>Not applicable</i>		
[c]	Are the wheels in multiple parts?	NO	*
[d]	Are the diameter and the width of the wheels as per the period specification?	YES	*
[e]	550M14		
[f]	Type and material (wire, pressed steel, alu alloy, magnesium alloy, etc.): Front: MAGNESIUM ALLOY Rear: MAGNESIUM ALLOY		
[g]	Diameters / widths of rims at the front (specify the units: inches or millimetres): " <input type="text"/> 1. Diameter: 14.00 * Width: 7.00 * 2. Diameter: 14.00 Width: 6.50 3. Diameter: 14.00 Width: 6.00 4. Diameter: Width:		
[h]	Diameters / widths of rims at the rear (specify the units: inches or millimetres): " <input type="text"/> 1. Diameter: 14.00 * Width: 7.00 * 2. Diameter: 14.00 Width: 6.50 3. Diameter: 14.00 Width: 6.00 4. Diameter: Width:		
[i]	Are sensors fitted?	NO	*
[j]	<i>Not applicable</i>		

6.1 BODY

[a]	Is the body to the original specification?	YES	*
[b]	<i>Not applicable</i>		
[c]	<i>Not applicable</i>		
[d]	Is all the material of the body as per the period specifications?	YES	*
[e]	Main material: ALUMINIUM ALLOY If other material used specify material and body parts:		
[f]	Type (single-seater, coupé, etc.):	COUPE	*
[g]	Number of seats:	4	*
[h]	Number of doors:	2	*

6.2 AERODYNAMIC DEVICES (cars built after 1965 only)

Not applicable

6.3 LIGHTING

[a]	Is the lighting as per the period specifications?	YES	*
[b]	<i>Not applicable</i>		
[c]	Is generator fitted?	YES	*
[d]	Type: dynamo <input type="checkbox"/> alternator <input checked="" type="checkbox"/> other, specify and justify		*

7.1 DIMENSIONS

[a]	Wheelbase: left 2350.00 mm right 2350.00 mm	*
[b]	Only for homologated cars from Period G2 onwards, body width at centre line of axles: Original front mm Current front mm Original rear mm Current rear mm	
[c]	For all other cases, track (track measured between the centres of the tyre treads): Original front 1310.00 mm Current front 1310.00 mm Original rear 1270.00 mm Current rear 1270.00 mm	
[d]	Minimum weight: 760 kg	*
[e]	AS PER HOMOLOGATION.	

8 – DRAWINGS AND/OR PICTURES

If necessary, drawings and/or pictures of the aerodynamic devices, suspension, etc




9 – ADDITIONAL PIECES OF INFORMATION

If necessary, list of alternatives (gearbox ratios, etc)

SECTION 8 - LEFT - UPPER ADJUSTER | RIGHT - BOTTOM ADJUSTER - FRONT SUSP.
 ADDITIONAL IMAGES UNDER DOCUMENTARY REFERENCE / PAGE 19.

EXTENSION – PHOTOS







DOCUMENTARY REFERENCES


Draw up a list of the technical and descriptive references to the car found in documents (books, periodicals, etc.) contemporary with its construction.

IMAGE 1 - UPPER ADJUSTER FOR REAR DAMPER.


IMAGE 2 - ADDITIONAL VIEW OF REAR AXLE.

IMAGE 3 - ADDITIONAL VIEW OF REAR AXLE.

IMAGE 4 - ADDITIONAL VIEW OF REAR SUSPENSION.




EXTENSION – AERODYNAMIC DEVICES (MEASUREMENTS)



DIMENSIONS (TOLERANCE FOR ALL DIMENSIONS: +/-1%)

[A]		mm
[B]		mm
[C]		mm
[D]		mm
[E]		mm

NUMBER OF WINGS:
DIMENSIONS (TOLERANCE FOR ALL DIMENSIONS: +/-1%)




WING 1	
[A]	<input type="text"/> mm
[B]	<input type="text"/> mm
[C]	<input type="text"/> mm
[D]	<input type="text"/> mm
[E]	<input type="text"/> mm
[F]	<input type="text"/> mm

WING 2		WING 3		WING 4	
[A]	<input type="text"/> mm	[A]	<input type="text"/> mm	[A]	<input type="text"/> mm
[B]	<input type="text"/> mm	[B]	<input type="text"/> mm	[B]	<input type="text"/> mm
[C]	<input type="text"/> mm	[C]	<input type="text"/> mm	[C]	<input type="text"/> mm
[D]	<input type="text"/> mm	[D]	<input type="text"/> mm	[D]	<input type="text"/> mm
[E]	<input type="text"/> mm	[E]	<input type="text"/> mm	[E]	<input type="text"/> mm
[F]	<input type="text"/> mm	[F]	<input type="text"/> mm	[F]	<input type="text"/> mm


DIMENSIONS
(TOLERANCE FOR ALL
DIMENSIONS: +/-1%)

[A]		mm
[B]		mm
[C]		mm
[D]		mm
[E]	50 mm min.	
[F]		mm
[G]		mm
[H]		mm
[I]		mm
[J]		mm
[K]		mm
[L]		mm
[M]		mm



DIMENSIONS
(TOLERANCE FOR ALL
DIMENSIONS: +/-1%)

[A]		mm
[B]		mm
[C]		mm
[D]	mm max.	
[E]	50 mm min.	
[F]		mm
[G]		mm
[H]		mm
[I]		mm
[J]		mm



EXTENSION – ROLL OVER PROTECTION SYSTEM – PART 1**1.1 ROLL OVER PROTECTION SYSTEM**

[a] System in accordance with: CURRENT APPENDIX K *

1.2 FIA HOMOLOGATED SYSTEM*Not applicable***1.3 ASN CERTIFIED SYSTEM***Not applicable***1.4 APPENDIX K SYSTEM (SELF MADE)**

[a]	Main/Lateral bar	Front bar	Diagonals	Other struts	Cross braces
Outer diameter (mm)	50	50	40	40	40
Wall thickness (mm)	2	2	2	2	2
[b]	Material specification: E255 - SEAMLESS COLD DRAWN UNALLOYED STEEL				
[c]	Drawing numbers according to App. K - App. VI (including the basic drawings and drawings of all options used): K3 - K11 - K15				

WHEN NO DIMENSION IS APPLICABLE, PLEASE FILL N/A FOR THOSE SPECIFIC FIELDS*1.5 PERIOD SPECIFICATION SYSTEM***Not applicable***1.6 FURTHER INFORMATION, IF NECESSARY:**

TECHNICAL REGULATIONS

- The car must comply with the technical regulations for Group: **GROUP 2 IMPROVED TOURING CARS**
of **APPENDIX J 1965**
- Or, the car must comply with the following technical regulations: **APPENDIX VI TO K (from 2025)**.
The regulations of current Appendix K have priority.

APPLICANT'S DECLARATION

I AS OWNER OR PERSON WHO HAS BEEN DULY AUTHORISED BY THE OWNER TO SUBMIT THE APPLICATION FOR THE HTP, CERTIFY (I) THAT THE INFORMATION GIVEN IS CORRECT, AND (II) THAT THE AUTHORISING ASN WILL BE IMMEDIATELY NOTIFIED SHOULD ANY CHANGES BE MADE TO THE CAR AFTER THE PRESENT HTP HAS BEEN ISSUED. I FURTHERMORE ACKNOWLEDGE, THAT SHOULD THE CAR NOT CONFORM TO THE SPECIFICATIONS SET FORTH HEREIN AT ANY TIME AFTER ISSUANCE OF THE PRESENT HTP, THIS HTP MAY BE IMMEDIATELY CANCELLED. I ALSO UNDERTAKE THAT ANY ENTRY FORM FOR AN FIA INTERNATIONAL EVENT WILL BE FILLED IN ACCORDING TO THE INFORMATION GIVEN ON THE PRESENT FORM.

Name of the Applicant:	FEDERATION INTERNATIONALE AUTOMOBILE
Name of the car owner (if different than the Applicant):	THIBAUT B.
Full address:	Address of the owner of the car
Licence number (if applicable):	

Date:

Signature :

CAUTION: This document is intended solely to verify that, at the date of the inspection, the car appears to be eligible to compete in FIA-sanctioned events for Historic Vehicles (as defined in the International Sporting Code). It makes no representation as to the authenticity or history of the car. The ASN has not inspected the car for any purpose other than that specified above, and neither the ASN nor the FIA shall be held liable, in any way for the accuracy or fitness for a particular purpose (other than the purpose set forth above), of any information contained in this form. Such information has been supplied by the applicant on behalf of the owner of the car, who remains solely responsible for its accuracy.

CHANGE IN OWNERSHIP

Name of the new car owner:	
Full address:	
Licence number (if applicable):	
Name of the new car owner:	
Full address:	
Licence number (if applicable):	
Name of the new car owner:	
Full address:	
Licence number (if applicable):	

ELIGIBILITY CHECKS

If the car that is presented for an event is not in conformity with its HTP, refer to article 4.3 of Appendix K.

THIS TABLE, TO BE FILLED IN ONLY BY FIA EVENT OFFICIALS AND ONLY WHEN NECESSARY, SERVES TO RECORD ANY COMMENTS MADE SUBSEQUENT TO SCRUTINEERING AT FIA INTERNATIONAL EVENTS.

[illegible]

LOG BOOK

THIS TABLE IS NOT COMPULSORY BUT MAY BE FILLED IN BY SCRUTINEERS (NOT FIA OFFICIALS ONLY)

[illegible]

ONLY FOR SINGLE SEATER CARS, TWO-SEATER RACING CARS AND ANY OTHER CARS EQUIPPED WITH A ROLL OVER PROTECTION SYSTEM (ROPS) WHICH IS NOT HOMOLOGATED OR WHICH IS NOT CERTIFIED BY AN ASN

TICK THE BOX (ONLY ONE) THAT APPLIES:

- ☐ I certify that the ROPS is as per period specification [Section 1.5 of page 23]
- ☒ I certify that the ROPS is as per Appendix K / self made system in compliance with Article 8.1.2 of Appendix VI to Appendix K [Section 1.4 of page 23]

Or

- ☐ I certify that the ROPS is as per Appendix K / self made system in compliance with Article 8.1.1 of Appendix VI to Appendix K and that I have the relevant certificate substantiating the ROPS strength [Section 1.4 of page 23]

As the issuing ASN is unable to control the following technical parameters without affecting the structural, historical and/or patrimonial integrity of the car (analysis of the material impossible without partial destruction or sampling of material), the issuing ASN relies on the Applicant's representations and the issuing ASN and/or the FIA shall not in any way be held responsible for any incorrect, inaccurate, false or misleading information provided herein by the Applicant.

	Main/Lateral bar	Front bar	Diagonals	Other struts	Cross braces
Wall thickness (mm)	2	2	2	2	2
Material specifications	CDSS	CDSS	CDSS	CDSS	CDSS

The items shown above are those claimed by the applicant based upon his best available knowledge.

Applicant First Name: THIBAUT

Applicant Last Name: BA

Date:

Name & Signature: